

RECEIVED
CENTRAL FAX CENTER

Serial no 10/767,610

Response to Office Action mailed on June 2, 2005

NOV 03 2005

Page 2

AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all previous versions and listing of claims, which were previously presented in the instant application

Listing of Claims:

1. (Currently Amended) A pressure washing system, comprising:
a first pump operable to produce a flow of a first liquid;
a storage tank operable to store a second liquid ~~and to pressurize the second liquid within the storage tank;~~
a second pump operable to produce a flow of second fluid from the storage tank;
and
a wand assembly coupled to the first pump and to the second pump storage tank,
wherein the wand assembly is adapted to produce a spray of first liquid and a spray of second liquid that is directed towards the spray of first liquid.
2. (Currently Amended) The pressure washer as recited in claim 1,
comprising an engine drivingly coupled to the first pump.
3. (Cancelled)
4. (Currently Amended) The pressure washer as recited in claim 1, wherein the wand assembly comprises:
a first wand ~~coupled to~~ in fluid communication with the first pump; and
a second wand secured to the first wand and ~~coupled to~~ in fluid communication with the second pump storage tank,
wherein the first wand is operable to control the flow of the first liquid from the first pump to the first wand and the second wand is operable to control the flow of the second liquid from the ~~storage tank~~ second pump to the second wand.

Serial no. 10/767,610
Response to Office Action mailed on June 2, 2005
Page 3

5. (Original) The pressure washer as recited in claim 4, wherein the second wand comprises an isolation valve operable to establish or secure the flow of second liquid through the second wand.

6. (Original) The pressure washer as recited in claim 5, wherein the second wand comprises a throttle valve operable to throttle the flow of second liquid through the second wand.

7 (Original) The pressure washer as recited in claim 4, comprising an adapter assembly secured to the first wand and the second wand, wherein the adapter assembly comprises a first orifice and the flow of second liquid is directed through the first orifice to produce a second spray that is directed toward the spray of first liquid.

8. (Original) The pressure washer as recited in claim 7, wherein the adapter assembly comprises a second orifice to produce the spray of first liquid.

9. (Currently Amended) A kit for modifying a pressure washing system, having a first pump operable to pump water to a pressure washer wand, the kit comprising:
a storage tank operable to store a liquid under pressure;
a second pump operable to pump fluid from the storage tank; and
a wand assembly in fluid communication with the storage tank via the second pump and securable to a the pressure washer wand, wherein the wand assembly is operable to direct pressurized liquid from the storage tank into a high-pressure spray of liquid produced from the pressure washer wand by the first pump.

10 (Cancelled)

Serial no 10/767,610
Response to Office Action mailed on June 2, 2005
Page 4

11. (Original) The kit as recited in claim 9, wherein the wand assembly comprises at least one bracket to secure the wand assembly to the pressure washer wand
12. (Cancelled)
13. (Currently Amended) The kit as recited in claim 9, wherein the wand assembly comprises a low-pressure wand comprising an isolation valve to enable a user to control the flow of pressurized liquid from the storage tank.
14. (Currently Amended) The kit as recited in claim ~~13~~ 12, wherein the wand assembly comprises a throttle valve in series with the isolation valve to enable a user to throttle the flow of pressurized liquid from the storage tank when the isolation valve is open.
15. (Original) The kit as recited in claim 13, wherein the wand assembly comprises an adapter assembly removably securable to the pressure washer wand, wherein the adapter assembly comprises an orifice to produce a spray of liquid from the storage tank.
16. (Amended) The kit as recited in claim ~~15~~ 14, wherein the adapter assembly comprises a quick coupling coupleable to a corresponding quick coupling on the pressure washer wand.
17. (Original) The kit as recited in claim 14, wherein the adapter assembly comprises an orifice operable to produce a high-pressure spray from a flow of liquid from the pressure washer wand.

Serial no 10/767,610
Response to Office Action mailed on June 2, 2005
Page 5

18. (Currently Amended) A method of manufacturing a pressure washing system, comprising:

coupling a first pump for pumping water in fluid communication with a first pressure washing wand

securing a first second pressure washing wand to a second the first pressure washing wand;

coupling an inlet of a second pump in fluid communication with a liquid storage tank to enable the second pump to pump fluid from the liquid storage tank; and

coupling the first second pressure washing wand to a in fluid communication with an outlet of the second pump operable to pump a first liquid to enable the second pump to pump fluid to the second pressure washing wand; and

coupling the second pressure washing wand to a liquid storage tank operable to pressurize a second liquid disposed therein.

19-20 (Cancelled)